


## Tech Sheet: Christavia MK1 & MK4

(christavia-CHR.pdf)



Christavia Mk1 Canopy Cover, 3D model

### Section 1: Canopy/Cockpit/Fuselage Covers

The **Christavia MK1 & MK4 Over-The-Top Style Canopy Cover** encloses the windshield, side and rear windows, and extends over the top of the airplane to cover the section between the wings. This is a one-piece design, which wraps around the canopy and closes with a Velcro closure behind the pilot's side door, and at the same place on the copilot's side of the cabin. By opening the Velcro closure on the door side, one can enter the airplane without removing the entire cover. The cover will extend over the top of the cabin area to cover the wing root fairings to help protect against leaks. The cover fastens with two belly straps that are adjustable and detachable from either side with heavy-duty quick-release plastic buckles. To keep the sides of the cover snug, special tightening straps are sewn onto the upper hem on each side. To ensure the most secure fit, high-quality shock cord is enclosed in the hem of the cover to help keep the cover tighter against the airplane. Canopy Covers are commonly referred to as Cabin Covers, Fuselage Covers, Canvas Covers, etc.

Each Canopy Cover is custom sewn and the corners are trimmed to match the colors of the airplane. The airplane's registration number can be imprinted onto both sides of the cover for an additional charge. A duffel bag is included with all Canopy Covers.

This cover type is made from Silver Acrylic Sunbrella canvas and is 100% lined with a soft and smooth microfiber. Bruce's Custom Covers developed this material combination especially for aircraft protection. The outer material is medium weight and treated for water resistance, UV resistance and anti-static buildup. The inner lining is a very soft and smooth microfiber to prevent scratching. The material is very reflective, and tests show that the cabin interior temperature can be reduced to near-ambient temperature on the hottest of days. It is water, ice and snow repellent, yet breathable to allow moisture to escape from between the cover and the aircraft surface.

The **Extended Canopy Cover, Over-The-Top Style** wraps around the airplane to cover all of the windows, extends over the top of the airplane to cover the section between the wings, and extends down to the main wheel struts to cover the entire side of the airplane. The cover will extend over the top of the cabin area to cover the wing root fairings to help protect against leaks. The cover fastens with two belly straps that are adjustable and detachable from either side with heavy-duty quick-release plastic buckles. To keep the sides of the cover snug against your Christavia MK1 & MK4, special tightening straps are sewn onto the upper hem on each side. To ensure the most secure fit, high quality shock cord is enclosed in the hem of the cover to help keep the cover tighter against the airplane. Canopy Covers are commonly referred to as Cabin Covers, Fuselage Covers, Canvas Covers, etc.

This cover type is made from Silver Acrylic Sunbrella canvas and is 100% lined with a soft and smooth microfiber. Bruce's Custom Covers developed this material combination especially for aircraft protection. The outer material is medium weight and treated for water resistance, UV resistance and anti-static buildup. The inner lining is a very soft and smooth microfiber to prevent scratching. The material is very reflective, and tests show that the cabin interior temperature can be reduced to near-ambient temperature on the hottest of days. It is water, ice and snow repellent, yet breathable to allow moisture to escape from between the cover and the aircraft surface.



Piper Pacer Canopy Cover



Piper Clipper Canopy Cover, Empennage & Wing Covers, Engine Plugs

| Description                          | Part Number    | Price           |
|--------------------------------------|----------------|-----------------|
| CANOPY COVER, over top type          | <b>CHR-010</b> | <b>\$470.00</b> |
| EXTENDED CANOPY COVER, over-top type | <b>CHR-015</b> | <b>\$590.00</b> |

## Section 2: Engine/Prop Covers

**Engine Covers** will cinch around or behind the spinner, cover the entire engine cowl area including the engine air cooling and induction air inlets, and fastens together with Velcro beneath the spinner down the front of the cowling. The Engine Cover is attached with a belly strap aft of the firewall, and can Velcro to the Canopy Cover. Engine Covers are normally made from Solution-Dyed Polyester or Acrylic *Sunbrella*. An Insulated version of the engine cover can be made with a thicker, quilted, and water-repellent material. The Insulated Engine Cover works well in cold climates to help with engine preheating.

FOR INTERIOR USE - Protect your airplane's engine inside a cold winter hangar with our reasonably priced **Insulated Hangar Blanket**. While not as form fitting as our custom fit insulated engine covers, the **Hangar Blanket** will work wonders to help protect your engine when used with a heating device. AVAILABLE IN RED OR BLACK.

Insulated Covers Material - A special composite material of solution-dyed polyester, 3M Thinsulate insulation, and soft nylon interior fabric. Our insulated covers are designed to complement an engine preheater and help retain heat in the engine compartment after shutdown. If you operate your aircraft in cold-weather, these covers will help prevent engine wear and tear.

Sorry, custom flaps and preheater access is not available on the hangar blanket. The **Christavia MK1 & MK4 Insulated Engine Cover** works well in cold climates to help with engine preheating. You can add an access flap for an additional fee. It will cinch around or behind the spinner, cover the entire engine cowl area including the engine air inlets, and fastens together with Velcro beneath the spinner down the front of the cowling.

Insulated Covers Material - A special composite material of solution-dyed polyester, 3M Thinsulate insulation, and soft nylon interior fabric. Our insulated covers are designed to complement an engine preheater and help retain heat in the engine compartment after shutdown. If you operate your aircraft in cold-weather, these covers will help prevent engine wear and tear.



Piper Clipper Canopy, Engine, Empennage & Wing Covers



Piper PA-18 Super Cub Insulated Engine Cover

| Description                                | Part Number    | Price           |
|--|----------------|-----------------|
| ENGINE COVER (TAILDRAGGER MODEL)           | <b>CHR-100</b> | <b>\$400.00</b> |
| INSULATED ENGINE COVER (TAILDRAGGER MODEL) | <b>CHR-110</b> | <b>\$520.00</b> |
| INSULATED HANGAR BLANKET, INTERIOR USE     | <b>CHR-HB3</b> | <b>\$355.00</b> |

#### Section 4: Wing/Tail/Empennage Covers

**Horizontal Stabilizer Covers** are a perfect solution to protect your paint from sun damage and prevent frost, snow, ice buildup, and corrosion. They are made from Solution-Dyed Polyester or Acrylic *Sunbrella*. They cover the entire upper surface of the stabilizers and overlap around the leading and trailing edges as well as the wing tip. The covers secure under each stabilizer with adjustable straps. In some instances, cut-outs are made in the trailing edge of the wing covers to accommodate for static wicks. **Horizontal Stabilizer Covers** for winter use or long-term all year use are usually available, and are normally made from Solution-Dyed Polyester or Acrylic *Sunbrella*. A Hail Protection version can be made which incorporates dense closed cell foam into the entire upper surface of the wing covers to help prevent hail damage. Although these covers are bulky, they do help protect your wing and control surfaces against small to medium-size hail.

**ALL-YEAR USE MATERIAL** - Made with Silver Acrylic Sunbrella canvas, the all-year use material is the best option for sun protection and cover longevity. This heavier more durable material is intended for all weather conditions, such as rain and snow or lots of sun.

**WINTER USE MATERIAL** - Made with Solution-Dyed Polyester fabric, this option is intended for seasonal use to aid in deicing, rain mitigation, or for occasional travel. The material is lighter and more compact, but more susceptible to UV damage and may have a shorter useful life if used continuously outside than the all-year use material.

The **Christavia MK1 & MK4 Empennage Cover** is a complete, one-piece cover which covers both the vertical and horizontal stabilizers, as well as the tailboom. It is normally made from *Solution-Dyed Polyester* or *Acrylic Sunbrella*. The cover attaches with adjustable straps underneath the belly. The cover is pulled back over the vertical stabilizer and a plastic all-weather zipper is closed at the trailing edge of the rudder. The cover is then stretched over the elevators and zippered closed along the bottom outboard elevator surfaces. The covers cinch under the horizontal stabilizers using adjustable straps. All antennas, beacons and static wicks, if applicable, are accounted for in the design.

**ALL-YEAR USE MATERIAL** - Made with Silver Acrylic Sunbrella canvas, the all-year use material is the best option for sun protection and cover longevity. This heavier more durable material is intended for all weather conditions, such as rain and snow or lots of sun.

**WINTER USE MATERIAL** - Made with Solution-Dyed Polyester fabric, this option is intended for seasonal use to aid in deicing, rain

mitigation, or for occasional travel. The material is lighter and more compact, but more susceptible to UV damage and may have a shorter useful life if used continuously outside than the all-year use material.

The **Christavia MK1 & MK4 Wing Covers** are a perfect solution to protect your paint from sun damage and prevent winter frost, snow, ice buildup, and corrosion. They are made from Solution-Dyed Polyester or Acrylic *Sunbrella* and form-fit to slip around each wing tip, cover the entire upper surface of the wing and wrap around the leading and trailing edges. The covers secure under the wing with adjustable straps from the trailing edge to the leading edge. The wing covers can also attach to each other with adjustable straps at the leading and trailing edges of the wing under the belly of the plane. In some instances, cut-outs are made in the trailing edge of the wing covers to accommodate static wicks. We have the ability to also accommodate wing tip modifications, such as STOL kits, droop tips, and vortex generators. Wing covers are labeled LEFT and RIGHT for your convenience. Wing Covers are available for winter use or long-term, all-year use. A Hail Protection version can be made which incorporates very dense closed cell foam into the entire upper surface of the wing covers to help prevent hail damage. Although these covers are bulky, they do help protect your wing and control surfaces against small to medium-size hail.

**ALL-YEAR USE MATERIAL** - Made with Silver Acrylic Sunbrella canvas, the all-year use material is the best option for sun protection and cover longevity. This heavier more durable material is intended for all weather conditions, such as rain and snow or lots of sun.

**WINTER USE MATERIAL** - Made with Solution-Dyed Polyester fabric, this option is intended for seasonal use to aid in deicing, rain mitigation, or for occasional travel. The material is lighter and more compact, but more susceptible to UV damage and may have a shorter useful life if used continuously outside than the all-year use material.



Piper PA-20 Complete Cover Set



Piper PA-20 Wing & Horiz. Stab. Covers

| Description  | Part Number    | Price           |
|--|----------------|-----------------|
| WING COVERS, WINTER USE (set of 2)                                     | <b>CHR-200</b> | <b>\$480.00</b> |
| WING COVERS, ALL YEAR USE (set of 2)                                   | <b>CHR-205</b> | <b>\$725.00</b> |
| HORIZONTAL STABILIZER COVERS, WINTER USE (set of 2)                    | <b>CHR-300</b> | <b>\$155.00</b> |
| HORIZONTAL STABILIZER COVERS, ALL YEAR USE (set of 2)                  | <b>CHR-305</b> | <b>\$245.00</b> |
| EMPENNAGE COVER (Tailboom, Vertical & Horiz Stabilizers), WINTER USE   | <b>CHR-400</b> | <b>\$505.00</b> |
| EMPENNAGE COVER (Tailboom, Vertical & Horiz Stabilizers), ALL YEAR USE | <b>CHR-405</b> | <b>\$570.00</b> |

## Section 7: Light Weight Products: Travel Covers and FlyAway Covers

The **Lightweight Travel Canopy Cover** will cover the same area as our standard Canopy Cover, but the material used is very lightweight and will fold up and store in a much smaller space. This cover is ideal for the airplane that is stored in a hangar full-time and only needs a cover on rare occasions.

Travel Covers are made with Silver Solution-Dyed Polyester fabric and only lined over the windshield to save weight. The material is lightweight and more compact for easy stowage in the aircraft. The polyester material is water resistant, but only intended for

occasional use outside. We also have an ultra lightweight material available for fitted hangar dust covers. For daily outdoor use, the non-travel Sunbrella Cover is the best choice.



Tri-Pacer Over-the-Top Canopy Cover

| Description  | Part Number | Price    |
|--|-------------|----------|
| TRAVEL COVER, Light Weight Canopy Cover (Over-Top Style) | CHR-800     | \$380.00 |

**Prices subject to change. Other Covers and Design Alterations: Prices on request.**  
**Prices are FOB Morgan Hill, CA. Sales tax on orders shipped to California addresses. Orders take approximately 3 weeks to complete. For domestic orders we normally ship by UPS ground service. Next day shipping and air parcel post is available on request. We can take payment by Visa, Mastercard, American Express, or Discover.**

**Bruce's Custom Covers offers protective covers and plugs for virtually every type of airplane, jet and helicopter. If you have questions about our products please call any time TOLL FREE: 800/777-6405, or FAX: 408/738-2729.**

**Instructions:** Measure to the nearest 1/8" and only fill in what applies. You may email, fax or phone in the measurements.

Aircraft Reg / Tail Number: \_\_\_\_\_ Aircraft Type: \_\_\_\_\_ Year: \_\_\_\_\_

Name: \_\_\_\_\_ Phone & Email: \_\_\_\_\_

| OAT Placement |   |            |        |       |         |  |            |
|---------------|---|------------|--------|-------|---------|--|------------|
| <b>A</b>      | From top of windshield  |            |        |       |         |  |            |
| <b>B</b>      | Offset from centerline  |            |        |       |         |  |            |
|               | <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 33%;">Left</td> <td style="border: 1px solid black; width: 33%;">Center</td> <td style="border: 1px solid black; width: 33%;">Right</td> </tr> <tr> <td style="font-size: small;">(pilot)</td> <td></td> <td style="font-size: small;">(co-pilot)</td> </tr> </table> | Left       | Center | Right | (pilot) |  | (co-pilot) |
| Left          | Center  | Right      |        |       |         |  |            |
| (pilot)       |   | (co-pilot) |        |       |         |  |            |
| <b>C</b>      | Height  |            |        |       |         |  |            |
| <b>D</b>      | From FWD edge   |            |        |       |         |  |            |
| <b>E</b>      | From lower edge   |            |        |       |         |  |            |
| <b>F</b>      | From forward corner   |            |        |       |         |  |            |
| <b>G</b>      | Distance forward  |            |        |       |         |  |            |



| Antenna Placements   | Example<br><small>(inches or metric)</small>  | Antenna #1 |        |       | Antenna #2 |          |            | Antenna #3  |      |        | Antenna #4 |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
|--|---|------------|--------|-------|------------|----------|------------|---|------|--------|------------|---------|--|------------|---|------|--------|-------|---------|--|------------|---|------|--------|-------|---------|--|------------|---|------|--------|-------|---------|--|------------|---|------|--------|-------|---------|--|------------|
| <b>H</b> Distance from top center windshield to front of Antenna | <i>34 5/8"</i>  |            |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| <b>J</b> Length/Width of Antenna base                            | <i>5 1/2" x 3 1/4"</i>  |            |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| <b>K</b> Offset from Centerline                                  | <i>9 1/2"</i>   |            |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| Antenna Offset (mark one)  | <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 33%;">Left</td> <td style="border: 1px solid black; width: 33%;">Center</td> <td style="border: 1px solid black; width: 33%;">Right</td> </tr> <tr> <td style="font-size: small;">(pilot)</td> <td style="font-size: small;"><i>X</i></td> <td style="font-size: small;">(co-pilot)</td> </tr> </table> | Left       | Center | Right | (pilot)    | <i>X</i> | (co-pilot) | <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 33%;">Left</td> <td style="border: 1px solid black; width: 33%;">Center</td> <td style="border: 1px solid black; width: 33%;">Right</td> </tr> <tr> <td style="font-size: small;">(pilot)</td> <td></td> <td style="font-size: small;">(co-pilot)</td> </tr> </table> | Left | Center | Right      | (pilot) |  | (co-pilot) | <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 33%;">Left</td> <td style="border: 1px solid black; width: 33%;">Center</td> <td style="border: 1px solid black; width: 33%;">Right</td> </tr> <tr> <td style="font-size: small;">(pilot)</td> <td></td> <td style="font-size: small;">(co-pilot)</td> </tr> </table> | Left | Center | Right | (pilot) |  | (co-pilot) | <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 33%;">Left</td> <td style="border: 1px solid black; width: 33%;">Center</td> <td style="border: 1px solid black; width: 33%;">Right</td> </tr> <tr> <td style="font-size: small;">(pilot)</td> <td></td> <td style="font-size: small;">(co-pilot)</td> </tr> </table> | Left | Center | Right | (pilot) |  | (co-pilot) | <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 33%;">Left</td> <td style="border: 1px solid black; width: 33%;">Center</td> <td style="border: 1px solid black; width: 33%;">Right</td> </tr> <tr> <td style="font-size: small;">(pilot)</td> <td></td> <td style="font-size: small;">(co-pilot)</td> </tr> </table> | Left | Center | Right | (pilot) |  | (co-pilot) | <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 33%;">Left</td> <td style="border: 1px solid black; width: 33%;">Center</td> <td style="border: 1px solid black; width: 33%;">Right</td> </tr> <tr> <td style="font-size: small;">(pilot)</td> <td></td> <td style="font-size: small;">(co-pilot)</td> </tr> </table> | Left | Center | Right | (pilot) |  | (co-pilot) |
| Left   | Center  | Right      |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| (pilot)  | <i>X</i>  | (co-pilot) |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| Left   | Center  | Right      |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| (pilot)  |   | (co-pilot) |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| Left   | Center  | Right      |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| (pilot)  |   | (co-pilot) |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| Left   | Center  | Right      |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| (pilot)  |   | (co-pilot) |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| Left   | Center  | Right      |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| (pilot)  |   | (co-pilot) |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| Left   | Center  | Right      |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| (pilot)  |   | (co-pilot) |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| <b>L</b> Slope length of Antenna (types 1-3 only)                | <i>18"</i>  |            |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |
| <b>M</b> Antenna Type (see types below)                          | <i>1</i>  |            |        |       |            |          |            |   |      |        |            |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |   |      |        |       |         |  |            |



Ph: 408/738-3959 • Toll Free: 800/777-6405 • Fax: 408/738-2729 • [bruce@aircraftcovers.com](mailto:bruce@aircraftcovers.com)

**Instructions:** Measure to the nearest 1/8" and only fill in what applies. You may email, fax or phone in the measurements.

Aircraft Reg / Tail Number: \_\_\_\_\_ Aircraft Type: \_\_\_\_\_ Year: \_\_\_\_\_  
 Name: \_\_\_\_\_ Phone & Email: \_\_\_\_\_

**Propellor Measurements**

| Please check one:                            | 2 - Blade | 3 - Blade | 4 - Blade |
|--|-----------|-----------|-----------|
| <b>A</b> Measure along surface of cone       |           |           |           |
| <b>B</b> Measure "straight line" base to tip |           |           |           |
| <b>C</b> Base to top of blade root opening   |           |           |           |
| <b>D</b> Provide diameter or circumference   |           |           |           |
| <b>E</b> Provide diameter or circumference   |           |           |           |
| <b>F</b> Blade root to prop tip              |           |           |           |
| <b>G</b> Trailing edge to leading edge       |           |           |           |
| <b>H</b> Trailing edge to leading edge       |           |           |           |
| <b>J</b> Trailing edge to leading edge       |           |           |           |





**BRUCE'S CUSTOM COVERS**  
 18850 Adams Court  
 Morgan Hill, CA 95037  
 www.aircraftcovers.com

Phone: 408/738-3959  
 Toll Free (U.S.): 800/777-6405  
 Fax: 408/738-2729  
 E-mail: bruce@aircraftcovers.com


a div. of Canvas Works, Inc.

manufacturer of the finest custom-made aircraft covers


# VENTURI TUBE PLACEMENT WORKSHEET

INSTRUCTIONS: Print Form, Fill Out, Fax to 408/738-2729

## LEFT SIDE VIEW



## RIGHT SIDE VIEW



rev. date: 2/15/07